αναλυτικά
εργαστήρια
αθηνών α.ε
Εργαστηριακές Αναλύσεις, Μελέτες - Εφαρμογές

ȰȽȺȿȨȰȰȰȽȻ ȿȽȾȰ ȷ ȾȷȿȷȽȻȿȽ

ȷ ȷ. Ȱȸ ȸ ȸȻ ȸ ȸ : **18-0847-003-0583-01**
ȿȸ/ȸȸ Ȍȸȸȸ : **21/05/2018**

ȷ ȷ. Ȍȸȸȸ : **1**

ilac-MRA | ESYD
ȸȸȸȸ
ȷ ȷ. Ȱȸ 102

ȿȸ. ȸȸ. Ȼȸȸȸ 104 Ȇȷ ȸȸȸ 115 27
Ȼ ȸȸȸȸȸ: Ȼȸ. ȸȸȸȸ 127 Ȇ?. ȸȸȸ 142 32
ȿȸ: +30 210 7470500-502 Ȇȸ ȸ: +30 210 7470501 Ȇemail: waternet@ergastiria.gr Ȇwebsite: www.ergastiria.gr

ȻȿȽȷ Ȼȸ ȰȻȿȷ ȿȿ	:	**ȸȿȿ ȽȻ ȿȽȸȸ?, ȰȿȷȿȻȸ ȸȿȷ ȸȷ ȻȽȻ, 35200, ȷ ȿȷ ȿȷ ?ȿȿ**		
Ȼ ȸ ȸȸȸȸȸȸ	:	ȰȻȿȷ ȿȿ Ȼ		
ȿ ȸ/ȸȸ ȸȸȸȸȸ	:	15/05/2018	ȿȸ/ȸȸ ȸȸȸȸȸ	: 15/05/2018
ȿ ȸ/ȸȸ ȸȸȸ	:	15/05/2018	ȿȸ/ȸȸ ȸȸȸȸȸ	: 18/05/2018
Ȼȸ ȸȸȸȸȸ	:	**28200583**	Ȼȸȸȸȸ ȸȸȸ	: ȻȷȾȽȾȻȿ
ȿȸȸȸȸȸȸ	:	**ȾȻȸȽ ȷ ȰȽ ȸȻȿȻȽ ȻȸȸȻȻȿȻ ȷ ȸȽȻ**		

Ȱȸȸ	ȸȸȸȸ	ȸȸȸȸ	Ȱȸȸȸȸ ȿȸȸ	ȷ ȸȸȸȸȸ
ȷ ȸ ȸȸȸȸ ȸȸȸȸȸȸȸ 22ȂC	ISO 6222:1999	cfu/ml	ȸȸȸ ȸȸȸȸȸ	0
ȷ ȸ ȸȸȸȸ ȸȸȸȸȸȸȸ 37ȂC	ISO 6222:1999	cfu/ml	ȸȸȸ ȸȸȸȸȸ	0
Ȼȸȸȸȸȸ ȸȸȸ	ISO 9308-1:2014	cfu/100ml	0	0
Escherichia coli	ISO 9308-1:2014	cfu/100ml	0	0
Intestinal Enterococci	ISO 7899-2:2000	cfu/100ml	0	0

Ȱȷ ȸȷ ȿȿȸȿȻȸȻ

1. ȿ ȸȸ ȸȸȸȸ ȸȸȸ ȷ ȸ ȸȸȸȸȸȸȸ, ȸ ȸȸȸȸ ȸȸȸ ȸȸȸȸ ȸȸȸȸȸȸȸȸȸ ȸȸȸ ȸȸȸȸ ȸȸȸȸȸ.

2. Ƚ ȸȸȸȸ ȸȸȸ ȸȸȸȸȸȸ ȸȸȸȸȸ ȸȸȸ 28200583 ȸȸ ȸ ȸȸȸȸ ȸȸȸȸ, ȸȸȸȸȸȸ ȸȸ ȸȸ ȸ ȸȸȸȸȸȸȸȸȸ Ȼ ȸȸȸȸȸ ȷ ȸȸȸȸ ȸ1 (ȸ)/ȸȸ ȸȸ. 67322/ ȸ ȸȻ 3282 ȸ/19-9-2017, ȸ ȸȸ ȸȸȸȸȸ ȸȸȸȸȸȸȸȸȸȸȸ.

3. ȿȸȸ ȸȸȸȸȸȸȸȸ ȸȸȸȸ ȸȸȸȸȸȸȸȸȸȸ ȸȸȸȸ ȸȸȸ ȸȸȸȸȸ ȸȸȸȸȸȸȸȸȸȸȸȸȸ ȸȸȸȸ ȸȸȸȸȸȸȸȸ ȸ ȸȸȸ, ȸȸ ȸȸȸȸ ȸ ȸȸȸ ȷ ȸ ȸȸȸȸȸȸȸȸȸȸȸȸȸȸȸȸȸȸ ȸȸ ȷ ȸȸȸ ȸȸȸȸȸȸ ȸȸȸȸȸ ȷ ȸȸȸȸ.

Ƚ Ȼ ȸ ȸȸȸ
ȸȸ Ȼȸ ȸȸȸȸȸ

ȸȸȸȸ ȸȸȸ Ƚȸȸȸ
DVM, ȸ ȸȸȸȸȸȸ - Ȼȸȸȸȸȸȸ MSc
Ȃ ȸȸȸȸȸȸȸ ȸȸȸȸȸȸ

ȿȸ ȸ ȸȸ ȸȸȸȸȸ ȸȸȸ ȸȸȸ ȸȸȸ ȸȸȸ ȸȸȸȸȸȸ ȸȸȸȸȸȸ ȸȸȸȸȸȸȸȸ ȸȸȸȸ ȸ ȸȸȸ ȸȸȸȸȸȸ ȸȸ, ȸ ȸȸȸ ȸȸ ȸȸȸȸȸ ȸȸ.
ȿȸȸ ȸȸȸȸȸȸȸȸȸ ȸȸȸȸȸȸȸȸȸȸȸȸȸȸȸ ȸȸȸȸȸ ȸȸȸȸȸȸȸ. Ƚ ȸȸȸȸȸȸȸȸȸȸȸȸȸȸȸ ȸȸȸ ȷ ȸȸȸ ȸȸȸȸȸȸȸȸȸȸȸȸȸȸȸȸȸȸ.
* ȸȸȸȸ ȸȸȸ ȸȸȸ ȸȸ ȸȸȸȸ.

αναλυτικά εργαστήρια αθηνών α.ε

Εργαστηριακές Αναλύσεις, Μελέτες - Εφαρμογές

ȹŁɆɇȻȹȻŁȼɇŁȾȻ ȷ ʔȷ ȿɈɆȼɆ

ȷ ȴ. ȹǻĩ ǿǿĕ: **18-0847-003-0583-02**

ȼ ɛ/ɜǕ Ǒǝǖɞǘǚɑ: **21/05/2018**

ȷ ȴ. Ǒǝǖɞǘǚɑ: **1**

ȿǙɾǘ. ȡǕǘ. Ɇɞǘǚɑ 104 Åȷ ȡɐɜǕ 115 27
Ɉ ´ ɑǝǕǘɾǘǚɛǕ: Ⱥǝ ȡǘɞɐɑ 127 Å ʔ. ȴɾɜǕ 142 32
ȼɑǝ: +30 210 7470500-502 Åǘ Ǖǝ: +30 210 7470501 Åemail: waternet@ergastiria.gr Åwebsite: www.ergastiria.gr

ɆȼȻȴ Ⱥȴ ȹȺȿ ȷ ȼȼ	:	**ɋȼɀ ȻɆ ȿȻȾɅɋʔ, ȹȿȷ ȼȺȴ ɋȼɀ ȷ Ʌȷ ȺȴȻɈ, 35200, ȷ ȼȷ ȿȷ ʔȼȼ**			
Ɉ ´ ǘ ɑɞɑɑ ǖǘɛǕǖɑǝɑɛ ǚǘɑ	:	ȹȺȿ ȷ ȼȼ Ɇ			
ȼ ɛ/ɜǕ ǖǘɛǕǖɑǝɑɛ ǚǘɑ	:	15/05/2018	ȼ ɛ/ɜǕ ɜǕ ɑǚɑ Ǖǝǖǘɾ ɜ	:	15/05/2018
ȼ ɛ/ɜǕ ´ Ǖ ǕǝǕɑ	:	15/05/2018	ȼ ɛ/ɜǕ ´ Ǖ ɑǚɾ ǘǚɑ Ǖǝǖǘɾ ɜ	:	15/05/2018
Ⱦɾ ǖɑɑ ǖǘɛǕǖɑ	:	**28200583**	ȾǕɾǘɑǚ ´ Ǖ ǕǝǕɑ	:	Ⱦȷ ʔȻʔȴȾȼ
ȼǕɑɑǚǕ ǖǘɛǕǖɑ	:	**ʔȺɅȻ ȷ ȹȻ ɋȴȾȼɈȻ ɈɋɅȺɈɆȼɆ ɀ ȷ ȻȴȻɈ**			

ȹǕ ɾɛǘɑ	ɀ ɑɞɑɑ	ɀ ɑɜɾǕ	ÿ ȴ ɑ ȷ ɜɑɜǘǚɑ	ȹǕ Ǖɛǘɑ ɛ ȼɛɛ	ȷ ´ ɑǘɛǕ
Ɇɑǝɑɜ ɾ ǘǚ ɑɜǘɾ ɜ ɑɑ ɑɜɑ (pH) - 25ÅC	ISO 10523:2008	pH units	-	6.5 - 9.5	7.1
ȼ ǝǘɑ ɛ ȷ ɜɾɜɛɑǚǕ - 25ÅC	ISO 7888:1985	ɛS/cm	10	< 2500	646
Ǖɑɑǚǚ	ISO 7027:1999	FNU	0.02	-	0.24
ȷ ȴ ɿ ɛǕ	ȺȿȻȼ ȺʔISO 7887	mg/l Pt	1.5	-	<5
Ȼǘɛɛ	Ȼȷ ɜǕɑɑǝ ´ ɑɾ (*)		-	-	ȷ ´ ɑǘɑ
ǖǘ ǘǚ	Ȼȷ ɜǕɑɑǝ ´ ɑɾ (*)		-	-	ȷ ´ ɑǘɑ
ȷ ɛɛɿ ɜɑ (NH4)	ISO 7150-1:1984	mg/l	0.01	< 0.5	ɋǘɑ ȷ ɜɑɜǘ ǚǚǝǘ

ȹȷ Ʌȷ ȼȼɅȼɆȺɆ

1. ȼ ǚɛǘ ɑɛǚɜǕ ǝǕǝǚ ɿ ȷ Ǖ ǖǘɛǕǖɑǝɑɛ ǚǘɑ, ɑ ǖǘɛǕǖɑǝ ´ ǚɑ ǝǕɿ ɑ ǝǕǝǕǕ ǘǚɛǘǕ ǖǘɛǕǖɑǝɑɛ ǚǘɑ ǘɑǕǝǕɾ ǖɑǝ ǘǚ ɑɑ ´ ǘɑɾǚ.

2. Ȼǝǘɑɾɑ ɜ Ǖ ɑǘǝǘɛɾɜ ɜǝǕ ɑ ǖǘɛǕɛǘǝɾ ǖɑɑ Ǖ ɑǝɛɑ ǖǘɛǕǖɑ 28200583 ɑɑ ´ Ǖ ɑɜɑɑ ´ ǘɑ ´ ɑɑǚɑ, ǘɑǕǝǘɑǚɑ ɜ ɑɑɜ ´ ɑɑ ǝǕɑɑ ɑɑɜǕǘǚɜ Ɉ ´ ɑɑ ɜɑ ȷ ´ ɑǚǘǚ ǖ1 (ǖ)/ǖȹ ɑɑ. 67322/ ǖ ȺȾ 3282 ɑ/19-9-2017, ´ ɑɑ ǕɑɑɾǚɜǕ ´ ɑɑǚǚǕ ɑɑ ɜǕ ɑ Ǖɑȷ ɿ ´ ɑǚɑ ǝǕɑɾǝǘǚɑ.

3. ȼǕǕ ɑǘɑǘɛǕǕ ɜ Ǖǝǖǘɾ ɜ ǘɑǘɑɑǕɛɑɑ ɛǘǕ ǖǘɛǕǖǕ ǝǕǝɑ ´ Ǖ ɛɑǕ ɑɑ ´ ɑɑ Ǖǝǖɑǝ ǝǕǖǘǝ Ǖɑɑɜ ǘǚ ǘɑɜɑɑǝɛ ´ ɑɑǚǚǕ ɑɑ ɜǕɑ , ɑɑ ´ Ǖ ɾɛǘɑɑǝɑɑ ɑ ´ ɑɑɑ ´ ȷ ɑ´ ǘǚɜǕ ǖǕǝǘɛɾ ɜǕɑ ɛǘǝǕǝ ǘǝǕɑ ´ ɑɑ ´ ȷ ɑɑǝɑ ´ ɑɜǕǝǕ ɑ ǚɑ ǘɑǘǕ ɾɑɑ ʔɛɛɑǘǘǚǕ.

Ȼ Ɉ´ ǘ ǚɑɜɑɑ
ȷ ǚɛɑɑ ȺȷɜǕǘǚȷ ɑɑ

ȹǕ ɑɑ ʔǚǘɛǕɑɾɑǚɑ
DVM, ȷ ǚɛɑɑɑ MSc